

NOTE:

GENERAL CONSTRUCTION
TOLERANCE: $\pm 5 \text{ mm}$ [$\pm 0.2"$]

INSTALLATION REQUIREMENT



SPACE FOR MAINTENANCE
ABOVE TOP OF THE CABIN ON
THE INTERNAL SIDE:

*MIN. 300 mm [$11.81"$]


*RECOMMENDED 750 mm [$29.53"$]

*if space does not meet the
required specifications contact
us to discuss alternatives

DETAIL "A"
FLOOR PAN DETAIL



TOP VIEW



RIEDER
Systems

Schéma d'implantation

N°: 10-28-03-SI015-F Date: 27.01.2015 Ech:

Type d'installation:

Sas de sécurité, pose encastrée

Type C3

RIEDER Systems SA - Route du Verney 13 - 1070 Puidoux - Tel. 0848 848 650 - Fax 0848 848 651
www.riedersystems.ch - info@riedersystems.ch

NOTE:

GENERAL CONSTRUCTION
TOLERANCE: $\pm 5 \text{ mm}$ [$\pm 0.2"$]


INSTALLATION REQUIREMENT

SPACE FOR MAINTENANCE
ABOVE TOP OF THE CABIN ON
THE INTERNAL SIDE:


*MIN. 300 mm [$11.81"$]

*RECOMMENDED 750 mm [$29.53"$]



*if space does not meet the
required specifications contact
us to discuss alternatives



DETAIL 'A'



TOP VIEW



RIEDER
Systems

Schéma d'implantation

N°:

10-28-03-SI016-F

Date:

27.01.2015

Ech:

Type d'installation:

Sas de sécurité, pose au sol

Type C3

RIEDER Systems SA - Route du Verney 13 - 1070 Puidoux - Tel. 0848 848 650 - Fax 0848 848 651
www.riedersystems.ch - info@riedersystems.ch

NOTE:

GENERAL CONSTRUCTION
TOLERANCE: $\pm 5 \text{ mm}$ [$\pm 0.2"$]

INSTALLATION REQUIREMENT



SPACE FOR MAINTENANCE
ABOVE TOP OF THE CABIN ON
THE INTERNAL SIDE:

*MIN. 300 mm [$11.81"$]


*RECOMMENDED 750 mm [$29.53"$]

*if space does not meet the
required specifications contact
us to discuss alternatives

DETAIL "A"
FLOOR PAN DETAIL



TOP VIEW



RIEDER
Systems

Schéma d'implantation

N°: 10-28-03-SI017-F Date: 27.01.2015 Ech:

Type d'installation:

Sas de sécurité porte double, pose encastrée

Type C3

RIEDER Systems SA - Route du Verney 13 - 1070 Puidoux - Tel. 0848 848 650 - Fax 0848 848 651
www.riedersystems.ch - info@riedersystems.ch

NOTE:


GENERAL CONSTRUCTION
TOLERANCE: $\pm 5 \text{ mm}$ [$\pm 0.2"$]

INSTALLATION REQUIREMENT



SPACE FOR MAINTENANCE
ABOVE TOP OF THE CABIN ON
THE INTERNAL SIDE:

*MIN. 300 mm [$11.81"$]
*RECOMMENDED 750 mm [$29.53"$]


*if space does not meet the
required specifications contact
us to discuss alternatives



DETAIL 'A'



TOP VIEW



RIEDER
Systems

Schéma d'implantation

N°:

10-28-03-SI018-F

Date:

27.01.2015

Ech:

Type d'installation:

Sas de sécurité porte double, pose au sol

Type C3

RIEDER Systems SA - Route du Verney 13 - 1070 Puidoux - Tel. 0848 848 650 - Fax 0848 848 651
www.riedersystems.ch - info@riedersystems.ch